



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 1/(13)

## 1. Section Identification of the mixture/substance and of the company/undertaking

### 1.1 Product identifier:

**MOL Farm Grease 2 MG lithium-base lubricating grease**

### 1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: lithium-base lubricating grease

Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

### 1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

Tel.: 36 80 201 199 (0-24 h, free number).

## 2. Section Hazards identification

### 2.1 Classification of the mixture or substance

Hazard Class and Category:

Eye Irrit 2

Hazard statement:

H319

Causes serious eye irritation.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 2/(13)

### 2.2 Label elements

Product identification:

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Hazardous components: -

Pictogram:



Signal word: **Warning**

Hazard statement:

**H319** Causes serious eye irritation.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

**P280** Wear eye protection.

Precautionary statements – Response:

**P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P337 + P313** If eye irritation persists: Get medical advice/attention.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 3/(13)

### 3. Section    Composition/information on ingredients

#### 3.2 Mixtures

Chemical description:    Mineral oil based consistent lubricant containing lithium soap, additives and graphite.

Component / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Lubricating oils (petroleum), C>25* REACH registration Nr.: 01-2119486948-13	309-874-0	101316-69-2	- (Note L)	-	max. 50
Lubricating oils (petroleum), C24-C50* REACH registration Nr.: 01-2119489969-06	309-877-7	101316-72-7	Asp.Tox.1 (Note L)	H304	max. 20
Distillates (petroleum), hydrotreated heavy naphthenic REACH Registration Nr.: 01-2119467170-45	265-155-0	64742-52-5	- (Note L)	-	max. 20
Zinc dialkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.5
Molybdenum disulfide*	215-263-9	1317-33-5	-	-	max. 1.0
Lithium hydroxide monohydrate	215-183-4	1310-66-3	Skin Corr. 1B Acute Tox. 4	H314 H302	max. 0.1

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 4/(13)

### 4. Section    **First aid measures**

#### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

Skin contact: Remove contaminated clothing. Wash with plenty amount of water, using soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment need

Not required.

### 5. Section    **Fire-fighting measures**

Fire hazards:

Combustible.

#### 5.1 Extinguishing media

Suitable extinguishing media:

Sand, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

#### 5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.

#### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 5/(13)

Further information:

-

### 6. Section      **Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

#### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

#### 6.3 Methods and material for containment and cleaning up

On soil:      Take up spilled product with shovel or scoop. Residuals should be cleaned up with cloths and/or sawdust. Dispose of the collected material as hazardous waste, according to local regulations.

On water:    Confine the spillage. Remove from surface by skimming. Notify local authorities according to regulations.

#### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

### 7. Section      **Handling and storage**

#### 7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 6/(13)

7.2 Conditions for safe storage, including any incompatibilities  
Store in dry, well ventilated place in original, tightly closed containers.  
Keep away from direct heat, ignition sources and strong oxidizing agents.  
Recommended storage temperature: max. 45°C

7.3 Specific end use(s)  
Lithium-base lubricating grease.

### 8. Section Exposure controls / personal protection

Engineering control measures:  
Not required.

8.1 Control parameters:  
*Molybdenum sulphide*    WEL (Great Britain)    Short-term value: 20 mg/m<sup>3</sup> as Mo  
(CAS: 1317-33-5):    Long-term value: 10 mg/m<sup>3</sup> as Mo

8.2 Exposure controls  
Personal protection:  
Respiratory protection: Breathing apparatus not required.  
Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min)  
(e.g. nitrile rubber – minimal thickness 0.33 mm).  
Note: Manufacturer's directions for use and the conditions of application should be observed.  
Eye protection: Protective goggles not required.  
Skin protection: Protective clothing (oil resistant).  
Other special: no data

Environmental exposure controls:  
Do not discharge into drains/surface waters/groundwater.

### 9. Section Physical and chemical properties

9.1 Information on basic physical and chemical properties  
Appearance:  
Physical state: consistent  
Colour: black, homogenous  
Odour: characteristic  
Change in physical state:  
Dropping point (ISO 2176): typ. 200°C  
Pour point: not available  
Others:  
Flash point (COC) (EN ISO 2592): > 200°C (base oil)



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 7/(13)

Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize
Vapour pressure at 20°C:	negligible
Density at 20°C:	not available
Solubility in water:	practically insoluble in water
n-Octanol/water partition coefficient:	not available
Penetration after working – 60 c, at 25°C (0,1 mm) (ISO 2137):	typ. 280
pH:	not applicable

9.2 Other information  
no data available

### 10. Section      Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources, open flames.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

### 11. Section      Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD <sub>50</sub> (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000	mg/kg	(based on components)



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 8/(13)

Acute toxicity: irritation

Skin: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

Eye: irritant (based on components), causes serious eye irritation.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect (based on components)

STOT-single exposure: not classified

STOT-repeated exposure: not classified

Aspiration hazard: not classified

### 12. Section Ecological information

12.1 Toxicity No data available.

Aquatic organisms:

Soil organisms:

Plants:

12.2 Persistence and degradability

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil: Soil is not mobile.

Mobility in water: Floats on water. Does not form continuous layer.





## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 9/(13)

- 12.5 Results of PBT and vPvB assessment    Does not contain PBT and vPvB substances.
- 12.6 Other adverse effects
- |  |  |
|--|--|
| Heavy metal content:                         | None.  |
| PCT, PCB and other chlorinated hydrocarbons: | None.  |
| Environmental effects:                       | Large spillages may be hazardous to the environment. |
| Water hazard class (German):                 | WGK 1 (Classification by VwVwS)                      |

### 13. Section    Disposal considerations

#### 13.1 Waste treatment methods

##### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12\*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

##### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

##### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

### 14. Section    Transport information

#### Land transport:

Road/ Railway

ADR/RID:

Not classified.





## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 11/(13)

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 (CLP)

Eye Irrit 2                      H319                      (calculated)

*The full text of each relevant Hazard classes and cat. and H- phrase in Section 3.:*

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Asp.Tox.1	Aspiration hazard Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

### Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ecx	Effective Concentration x%



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 12/(13)

ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

### Revision Indicators:

Section	Subject of change	Date	Version
2	Hazards identification	01.08.2012	2
3	Composition/information on ingredients		
12	Ecological information		
1-16	Revision modification according to 453/2010/EC and 1272/2008/EC		



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Grease 2 MG lithium-base lubricating grease**

Version: 4    Latest revision: 26. 04. 2016    Date of issue: 27. 08. 2008    Page: 13/(13)

### Revision Indicators:

Section	Subject of change	Date	Version
1	Details of the supplier of the safety data sheet, Responsible for SDS	02.07.2015	3
2	Other hazards		
3	Composition/information on ingredients		
5	Fire hazards		
12	Ecological information		
14	Transport information		
1-16	Other corrections, revision modification according to 2015/830 /EC		
1-16	Other corrections, revision modification	26. 04. 2016	4